



悦兴五金
YUOXING BALUSTRADES

YUEXING BALUSTRADES

YUEXING HARDWARE PROFILE



Yuexing Hardware was established in Foshan, Guangdong Province in 1992, with more than 30 years of experience in railing systems production, mainly producing stainless steel glass railings, staircase system and shower room system.



Focus to Provided a
Complete Balustrade Solution

20,000+ Square meters Modern Factory

1,000+ Commercial and Residential Projects

30+ Year Experience in Railing Systems



OEM & ODM SERVICES

Yuexing Hardware accept orders against customers productions specifications and packaging requirement, has been engaged in the railing business with many countries for several years.



Since 2018, Yuexing Hardware has become the only railing supplier of AEDO Group (Lehua Meilin) in China.

➤ Some Details



Information for T29-36-L-3.6		
Description (描述): Square Floor Mount Cable Post 36° Left End	Packing method (打包方式): 2 posts /small box 4 posts/big box 2支/小盒, 4支/大盒	
884正装方柱-单左	Net weight for each post (单支净重): 3.8KG	
Specification (规格): 40°40°3.6°884mm	Gross weight for each inside small box (小箱毛重): 8.2KG	
Post Hole (柱孔): 10-M8 (开10个M8孔)	Gross weight for each outside big box (大箱毛重): 17.2KG	
Drawing for T29-36-L-3.6	Inside Box for T29-36-L-3.6	Outside Box for T29-36-L-3.6
<p>T29-36-L-3.6 100PCS</p>	<p>SKU:T29-36-L-3.6 (Inside box) 100</p>	<p>SKU:T29-36-L-3.6 (Outside box) 100</p>



YUEXING HARDWARE PROJECT

YUEXING 's products and projects have spread all over the world.



2007-2023

- **America** - The campus Apartment
- **Australia**- Wollongong Apartment
- **America** -Allen Tower Apartment
- **Papua New Guinea**-New Enga Hospital
- **Singapore** - Tim mac
- **Australia** -Quay Quarter Tower
- **Bangladesh** - South Leaf Apartment
- **Dubai**- Dubai Hills Mall
- **Philippines**- Okada Malina Hotel
- **Australia**- Parramatta Square
- **Australia**-Wonderland Central Park
- **America**-Tulas Broad Walk
- **Qatar**-WGS Activity Center
- **Russia**-Winter Olympic Stadium
- **India**- Membai International Airport
- **Singapore**-ION Shopping Mall
- **Croatia**- Premanura Villa
- **Mexico**- CEART Building
- **Australia**- Marina Apartment
- **Singapore**- Livia Apartment
- **Turkmenistan**- Berkarar Mall




2007-2023

- Viet Nam- The Vista Apartment
- St.Lucia- Private Villa
- Mexico- CEART Building
- Australia- Rouse Street Apartment
- Australia- Lakehouse Apartment
- Malaysia- Residential Apartment
- Australia- Joulia apartment
- America- Ctystal flat
- America- Tenten Glendale
- America-City of Anaheim
- Philippines- Tambuli Apartment
- America- 1027 wilshare Blvd
- France- EAD Villa
- America- Arabella Apartment
- Japan - NIKKO GUAN
- Qatar- Qatar Metro
- Australia- Lotus Resort
- Turkmenistan- Turkmenistan Airport
- Qatar-Danat Education 1 School
- Qatar- Residential Tower

.....

To be continue ...





RAILING SYSTEM

- FRAMELESS GLASS RAILING SYSTEM 1-10**
 - Aluminum Channel Railing 2
 - Spigot Railing 5
 - Standoff Railing 8

- BALUSTRADE GLASS RAILING SYSTEM..... 11-14**
 - Round Balustrade Railing 12
 - Square Balustrade Railing 13
 - Flat Bar Balustrade Railing 14

- ALUMINUM GLASS RAILING SYSTEM 15**

- WIND SCREEN SYSTEM 16**

- METAL LINE RAILING SYSTEM 17-22**
 - Cable railing 18
 - Cross Line Railing 21


- BRACKET AND HANDRAIL SYSTEM 23**

- SELETION 25**

FRAMELESS GLASS RAILING




- Aluminum Channel Railing
- Standoff Railing
- Spigot Railing




Aluminum Channel Railing

Because of the prevalence of minimalist style, the frameless aluminum channel railing is became one of the most representative popular products.


- With a simple and fashionable design
- Unblocked view
- Newest and safest in the railing



Aluminum Channel Railing



• YX-0353




• YX-0350








• YX-0237



• YX-0269






• YX-0366



Aluminum Channel Railing

- Installation





Spigot Railing


Spigot railing is serving minimalist, aesthetic, simple and economic glass railing to your projects.

- Design for swimming pools, outdoor separation
- Easy installation
- Unblocked view




Spigot railing


- YX-1119DS




- YX-0330




- YX-0273



- YX-1119L




- YX-0260





YX NO.	YX-1119DS	YX-0330	YX-0273	YX-1119L	YX-0260
GLASS BASE	Φ48*180H mm	43*60*160H mm	40*50*200H mm	50*50*190H mm	15*65 mm
GLASS THICKNESS	10-13.14 mm	10-13.52 mm	13-13.52 mm	10-13.14 mm	112-17.52 mm
MAX. SEPARATION	1100 mm				
HEIGHT	36"--- 914 mm / 42"--- 1067 mm				
FINISH	Stain / Mirror /Paint				

• Installation



Spigot railing

- Installation





STANDOFF RAILING


The least metal components in exchange for the most extreme sense of space , It can maximize space utilization, reduce the waste of space caused by installation.

- Easy montage
- Unblocked view




Standoff Railing


- YX-1153 - $\Phi 38$ mm




- YX-1154 - $\Phi 50$ mm




- YX-1155 - $\Phi 56$ mm




- YX-1156-56*56 mm




- Installation



YX NO.	YX-1153	YX-1154	YX-1156	YX-1155
GLASS FASTENER	$\Phi 38$ mm	$\Phi 50$ mm	$\Phi 56$ mm	56*56
GLASS THICKNESS	12 - 19 mm	12 - 17.52 mm	15 - 22.28 mm	15 - 22.28 mm
MAX. SEPARATION	1300 mm			
HEIGHT	36"--- 914 mm / 42"--- 1067 mm			
FINISH	STAIN / MIRROR / PAINT			




- What kind of handrail should be right ?
Up to you.



Option




U-cap





Square-slot



Round-slot





Option
Glass clamp
YX-1307



BALUSTRADE GLASS RAILING SYSTEM




- Round Balustrade 
- Square Balustrade 
- Flat Bar Balustrade 



Round Balustrade

YX NO.	YX-0185B
GLASS THICKNESS	10-13.14 mm
HEIGHT	1000 mm
MAX. SEPARATION	1200 mm
FINISH	Stain / Mirror/ Paint

Installation



Balustrade glass railing is a modern guardrail product with excellent decorative properties. Glass railings are easy to install and provide the best safety.






Square Balustrade

YX NO.	YX-0372	YX-0268
POST	40*40*1.5 mm	50*50*1.5 mm
GLASS THICKNESS	10-13.52 mm	10-13.52 mm
HEIGHT	1000 / 1100 mm	
MAX. SEPARATION	1200 mm	
FINISH	Stain / Mirror/ Paint	

Balustrade glass railing is a modern guardrail product with excellent decorative properties. Glass railings are easy to install and provide the best safety.






Flat Bar Balustrade

YX NO.	YX-0167	YX-0371	YX-0390
POST	12*60 mm	12*80 mm	16*80 mm
GLASS THICKNESS	12-13.52 mm	13.52 -17.52 mm	17.52-21.52 mm
MAX. SEPARATION	1300 mm		
HEIGHT	1000 /1100 mm		
FINISH	Stain / Mirror/ Paint		

With the simple appearance and the durable quality, this model can be widely used in many places , such as apartment, office, hotel or shopping center etc.




Aluminum Glass Railing



Aluminium glass railing has a simplistic design in the black color finish .The design of the railing is cool and also keep the light transparent, gives the building a sense of high-end.

YX NO.	YX-0254
POST	ALUMINUM POST 60*60 mm
GLASS THICKNESS	10-13.14 mm
MAX. SEPARATION	1200 mm
HEIGHT	1000 mm / 1067 mm
FINISH	Power Coating







Wind Screen

YX NO.	YX-0391	YX-0371
POST	FLAT BAR POST	SQUARE POST
GLASS THICKNESS	13.52 -17.52 mm	
MAX. SEPARATION	1200 mm	
HEIGHT	1500 / 1800 mm	
FINISH	Stain / Mirror/ Paint	



Whether you live on waterfront or a windy mountaintop, we have different wind screen options to meet your needs.



METAL LINE RAILING SYSTEM



- Cable Railing
- Cross Line Railing



Cable Railing


Cable railing has the advantage of easy installation and convenient maintenance, is a high quality railing product with good performance.


- Perfect solution for outdoor
- Unblocked view
- Affordable product




Cable Railing



• YX- 0261 




• YX- 0257 




YX NO.	YX-0261	YX-0257
POST	Round Post	Square Post
INFILL	Cable \varnothing 3.2 mm / Cable \varnothing 4.0 mm	
HEIGHT	1000 / 1100 mm	
MAX. SEPARATION	1200 mm	
FINISH	Stain / Mirror/ Paint	

Component




• YX-1303A



• YX-1303B




• YX-1303C





Cable Railing

• YX- 0261



YX NO.	YX- 0261
POST	Flat Bar Post
INFILL	Cable \varnothing 8.0 mm
HEIGHT	1200 mm / 1300 mm
MAX. SEPARATION	1200 mm
FINISH	Stain / Mirror/ Paint






Cross Line Railing

Strong plasticity and wide application make the railing can be used in a variety of different scenarios.

- Easy maintenance
- Affordable product
- System components



Cross Line Railing



YX NO.	YX-0172	YX-0307	YX-0401
POST	Round Post	Round Post	Flat Bar Post
INFILL	Φ12 mm Small Bar Φ12 mm Small Pipe		
MAX. SEPARATION	1100-1200 mm		
HEIGHT	1000 /1100 mm		
FINISH	Stain / Mirror/ Paint		

• Component



Small tube
Ø12x1mm
L5800mm



Small bar
Ø12mm
L4000mm



YX-1003A
Connector
Ø12mm
Fixing with screw



YX-1005
End cap
Ø12mm
Fixing with screw



YX-1013A
Adjustable elbow
Ø12x1mm



YX-1059
End cap
Ø12x1mm
Fixing with glue



YX-1013
Adjustable elbow
Ø12mm
Fixing with screw



YX-1121S
Adjustable elbow
Connector
Ø12x1mm
Fixing with glue

• YX- 0172



• YX- 0307



• YX- 0401



Handrial

Round-slot component:



• **Round**



					
Round slotted tube Ø42.4x1.35mm- 24x24slot L5800mm	YX-B24 Wall flange Ø42.4mm/Ø50.8mm Fixing with screw	YX-1092 Connector Ø42.4x1.35mm	YX-1181 Adjustable elbow Ø42.4x1.35mm Fixing with glue	YX-1091 90° elbow Ø42.4x1.35mm	YX-1093 End cap Ø42.4x1.35mm Fixing with glue

Round-handrail component:

					
Handrail Ø42.4x1.5mm Ø50.8x1.5mm L5800mm	YX-1121 Connector Ø42.4x1.5mm Ø50.8x1.5mm Fixing with glue	YX-1081A Adjustable elbow Ø42.4x1.5mm Ø50.8x1.5mm Fixing with glue	YX-B19 90° elbow Ø42.4x1.5mm Ø50.8x1.5mm Fixing with glue	YX-B57-2 End cap Ø42.4x1.5mm Ø50.8x1.5mm Fixing with glue	YX-B24 Wall flange Ø42.4mm/Ø50.8mm Fixing with screw

Flat-square handrail component:




• **Square**



					
Handrail 25x50x1.5mm L 5800mm	YX-1165 Connector 25x50x1.5mm Fixing with glue	YX-1164 Adjustable elbow 25x50x1.5mm Fixing with glue	YX-1164H Adjustable elbow 25x50x1.5mm Fixing with glue	YX-1166 90° elbow 25x50x1.5mm Fixing with glue	YX-1167 End cap 25x50x1.5mm Fixing with glue

Square handrail component:



						
Handrail 40x40x1.5mm L 5800mm	YX-SQ1121 Connector 40x40x1.5mm Fixing with glue	YX-SQ1081 Adjustable elbow 40x40x1.5mm Fixing with glue	YX-SQB20 90° elbow 40x40x1.5mm Fixing with glue	YX-SQB21 T elbow 40x40x1.5mm Fixing with glue	YX-SQB59-1 End cap 40x40x1.5mm Fixing with glue	YX-SQB24 Wall flange 40x40xmm Fixing with screw



Bracket on Wall



Bracket on Glass



HANDRAIL SELECTION



U-cap

- 25*21 mm



Rectangle slotted tube

- 25*8 mm



Round slotted tube

- $\Phi 42.4$ mm



Bracket handrail



Bracket handrail



Round handrail

- $\Phi 42.4$ mm
- $\Phi 50.8$ mm
- $\Phi 50*100$ mm



Rectangle handrail

- 40*40 mm
- 50*50 mm
- 25*50 mm

FINISH SELECTION



- **Stain**



- **Mirror**



- **Gold (PVD)**



- **Rose Gold**



- **Mirror Black**



- **Powdery Black**

GLASS SELECTION



- **Clear Glass**
- **UltraClear Glass**
- **Colored Glass**
- **Ground Glass**



Head Office. PO Box 1227, Devonport, TAS 7310, Australia

P. (03) 6424 5974 E. sales@sourcecorpaustralia.com.au

www.sourcecorpaustralia.com.au



悦兴五金
YU XING BALUSTRADES

No. 12 North Park Centre Road, Shishan Town,

Nanghai District, Forshan

P. (Mei) + 86 1392 3193 3405 or + 86 7575 7866